


What is claimed:

1. A compound of Formula I

5



or a pharmaceutically acceptable salt thereof, wherein:

10

R₁ is selected from the group consisting of H and methyl; and

R₂ is selected from the group consisting of H and methyl.

2. The compound as recited in claim 1 wherein:

R₁ is H; and

R₂ is selected from the group consisting of H and methyl.

3. The compound as recited in claim 1 wherein:

R₁ is H; and

R₂ is H.

4. The compound as recited in claim 1 wherein:

R₁ is H; and

R₂ is methyl.

25

5. The compound as recited in claim 1 wherein:

R₁ is methyl; and

R₂ is selected from the group consisting of hydrogen and methyl.

6. The compound as recited in claim 1 wherein:

30

R₁ is methyl; and

R_2 is hydrogen.

7. The compound as recited in claim 1 wherein:

R_1 is methyl; and


5 R_2 is methyl.

8. The compound as recited in claim 1 wherein:

R_1 is selected from the group consisting of hydrogen and methyl; and

R_2 is hydrogen.

10 9. The compound as recited in claim 1 represented by Formula II



II

or a pharmaceutically acceptable salt thereof, wherein:

15 R_1 is selected from the group consisting of H and methyl; and

R_2 is selected from the group consisting of H and methyl.

10. The compound as recited in claim 9 wherein:

R_1 is H; and

20 R_2 is selected from the group consisting of H and methyl.

11. The compound as recited in claim 9 wherein:

R_1 is H; and

R_2 is H.

25 12. The compound as recited in claim 9 wherein:

R_1 is H; and

R_2 is methyl.

30 13. The compound as recited in claim 9 wherein:

R₁ is methyl; and

R₂ is selected from the group consisting of H and methyl.

14. The compound as recited in claim 9 wherein:

5 R₁ is methyl; and

R₂ is H.

15. The compound as recited in claim 9 wherein:

R₁ is methyl; and


10 R₂ is methyl.

16. The compound as recited in claim 9 wherein:

R₁ is selected from the group consisting of H and methyl; and

R₂ is H.

17. The compound as recited in claim 1 represented by Formula III



III

or a pharmaceutically acceptable salt thereof, wherein:

R₁ is selected from the group consisting of H and methyl; and

R₂ is selected from the group consisting of H and methyl.

18. The compound as recited in claim 17 wherein:

R₁ is H; and

R₂ is selected from the group consisting of H and methyl.

19. The compound as recited in claim 17 wherein:

R₁ is H; and

R₂ is H.

5

20. The compound as recited in claim 17 wherein:

R₁ is H; and

R₂ is methyl.

10

21. The compound as recited in claim 17 wherein:

R₁ is methyl; and

R₂ is selected from the group consisting of hydrogen and methyl.

22. The compound as recited in claim 17 wherein:

R₁ is methyl; and

R₂ is H.

23. The compound as recited in claim 17 wherein:

R₁ is methyl; and

R₂ is methyl.

24. The compound as recited in claim 17 wherein:

R₁ is selected from the group consisting of hydrogen and methyl; and

R₂ is hydrogen.

25. A compound as recited in claim 1 wherein the compound is the S enantiomer.

26. A compound as recited in claim 1 wherein the compound is the R enantiomer.

27. A compound as recited in claim 1 wherein the compound is the E isomer.

28. A compound as recited in claim 1 wherein the compound is the Z isomer.